Phylum - Amphibia MCQ Question Answer

Visit https://competitive-exam.in for more MCQ

Question: 1. Erythrocytes of frog are

Option A. nucleated and round
Option B. enucleated and oval
Option C. enucleated and round
Option D. nucleated and oval

Question: 2. Which of these lives in water permanently?

Option A. Frogs
Option B. Salamander
Option C. Ichthyophis
Option D. Necturus

Question: 3. Frog and toad belong to the order

Option A. Anura
Option B. Apoda
Option C. Urodela
Option D. Caudata

Question: 4. Lateral line system found in fishes has been lost in Amphibia becuase of

Option A. development of sturdy eggs
Option B. change over to herbivorous feeding
Option C. occurence of metamoophosis on amphibia
Option D. evolution of terrestrial habit

Question: 5. Persistence of larval condition is known as

Option A. neoteny
Option B. paedogensis
Option C. paedomorphosis
Option D. none of these

Question: 6. Largest Amphibian is

Option A. Cryptobranchus - hell bender
Option B. Necturus - mud puppy
Option C. Amphiuma - congo cell
Option D. Rhacophorous - flying frog

Question: 7. Both pairs of limbs are equal in size in

Option A. toads

Option B. frogs
Option C. salamanders
Option D. lizards

Question: 8. Claws are absent in

Option A. lizards
Option B. rabbits
Option C. salmanders
Option D. crocodiles

Question: 9. Hepatic portal system of frog is a part of its

Option A. blood circulation in the body.
Option B. venous system
Option C. arterial system
Option D. all of these

Question: 10. External gills persist all through the life of

Option A. Salmander
Option B. Cryptobranchus
Option C. Necturus
Option D. Bufo

Question: 11. Which of the following has adhesive pad on its fingers and toes ?

Option A. Hyla
Option B. Necturus
Option C. Rhacophorus
Option D. Ophisaurus

Question: 12. The epidermis in skin of adult frog has

Option A. thick and cornified epithelium
Option B. poorly cornified stratified squamous epithelium
Option C. a simple columnar epithelium
Option D. small microscopic scales in it

Question: 13. The skull of frog has

Option A. single occipital condyle and 10 pairs of cranial nerves
Option B. single occipital condyle and 12 pairs of cranial nerves
Option C. two occipital condyles and 10 pairs of cranial nerves
Option D. two occipital condyles and 12 pairs of cranial nerves

Question: 14. Nostrils are not connected with mouth cavity in

Option A. frogs

Option B. fishes
Option C. lizards
Option D. pigeons

Question: 15. The adult amphibians possess

Option A. pronephric kidney
Option B. mesonephric kidney
Option C. metanephric kidney
Option D. both (a) and (b) ,

Question: 16. Which one of the following amphibians has no tongue ?

Option A. Amphiuma
Option B. Ichthyophis
Option C. Salamander
Option D. Necturus

Question: 17. Which of the amphibian has poison gland in the skin ?

Option A. Ram tigrina
Option B. Hyla
Option C. Rhacophorus
Option D. Amphiuma

Question: 18. Male frogs can croak louder than females becuase of being

Option A. larger in size
Option B. stronger
Option C. larger sound box
Option D. vocal sac

Question: 19. The flying frog is

Option A. Hyla
Option B. Bufo
Option C. Rhacophorus
Option D. Rana

Question: 20. A limbless amphibian is

Option A. Cryptobranchus - hell blender
Option B. Necturus - mud puppy
Option C. Uraeotyphlus - blind worm
Option D. Alytes - midwife toad

Question: 21. Tailless amphibians are included in order

Option A. Apoda

Option B. Caudata
Option C. Anura
Option D. Cyclostomata

Question: 22. The croking of frog serves to

Option A. ward off their enemies
Option B. attract the opposite sex
Option C. identify the same species
Option D. collect the young ones

Question: 23. Paired fins are lacking in

Option A. Ichthyophis
Option B. Sharks
Option C. Rays
Option D. Cuttlefish

Question: 24. Which of the following is a false statement for the members of the order Apoda?

Option A. They have middle ear apparatus
Option B. They show parental cafe
Option C. They lose tail and gills during metamorphosis
Option D. All of these

Question: 25. In frog, the fore- and hindlimbs are derived from

Option A. a single body segment each
Option B. a multiple number of body segments each
Option C. a single and from multiple segments respectively
Option D. none of these

Question: 26. Fire bellied toad is

Option A. Salamandar
Option B. Discoglossus
Option C. Necturus
Option D. Amphiuma

Question: 27. Parts of middle ear of frog are

Option A. tympanic membrane and tympanic cavity
Option B. middle ear ossicle
Option C. eustachian tube
Option D. all of these

Question: 28. Which of the following parts is shortest in the alimentary canal of frog ?

Option A. Oesophagus

Option B. Rectum

Option C. Duodenum

Option D. Intestine

Question: 29. Cycloid embedded scales are found in

Option A. Uraeotyphlus

Option B. Triturus

Option C. Siren

Option D. Amphiuma

Question: 30. Equal sized feeble limbs are seen in

Option A. Hyla

Option B. Bufo

Option C. Necturus

Option D. Ophisaurus

Answer Sheet

1	D	
2	D	
3	A	
4	D	
5	A	
6	A	
7	C	
8	C	
9	B	
10	C	
11	C	
12	B	
13	C	
14	B	
15	B	
16	B	
17	A	
18	D	
19	C	
20	C	
21	C	
22	B	
23	A	
24	A	
25	B	
26	B	
27	D	
28	A	
29	A	
30	C	